



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.: 10/630,292
Applicant(s): Dennis R. WILSON
For: WELL CHEMICAL TREATMENT UTILIZING
PLUNGER LIFT DELIVERY SYSTEM
Confirmation No.: 9723
Customer No.: 50639
Docket No.: 18326/04801 now CPH-04801-US
Filed: July 30, 2003
Group Art Unit: 3672
Examiner: William P. Neuder

MAIL STOP Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: **MAIL STOP Amendment**, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 26, 2005

Date of Deposit

David L. Hitchcock

Name of Applicant, Assignee, or Registered Representative

Signature

August 26, 2005

Date of Signature

Dear Sir:

CORRECTED AMENDMENT AND ADDITIONAL AMENDMENT IN
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT (37 C.F.R. §
1.121)

This Amendment is filed in response to the Notice of Non-Compliant Amendment (37 C.F.R. § 1.121) dated August 2, 2005, which provides for a response period ending September 2, 2005.

08/31/2005 BABRAHA1 00000021 10630292

- 1 -

01 FC:1202
02 FC:1201

450.00 OP
200.00 OP

Application No. 10/630,292
Amendment dated August 26, 2005
Reply to Office Action of August 2, 2005

This Amendment corrects and adds to the amendment previously filed in response to the Office Action dated June 1, 2005.

Amendments to the Specification begin on page 3 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 13 of this paper.

Amendments to the Drawings begin on page 19 of this paper and include both an attached replacement sheet and an annotated sheet showing the changes.

Remarks begin on page 20 of this paper.